

**EASTERN HILLS BRANCH
WILDFLOWER SOCIETY OF WA**

NATIVE PLANT SALE

SATURDAY 13TH MAY 2017

9 am to 2 pm

100's of Native Plants suitable for Hills/Metro Gardens

Most Plants from \$2.50 to \$5.00

**EFTPOS
AVAILABLE**

**OCTAGONAL HALL
52 McGLEW ROAD
GLEN FORREST**

CATALOGUE - FREE!

WILDFLOWER SOCIETY PLANT SALE 2017

Gates open at 9am. Although early customers have the best selection of plants, we always have a good range of popular species available all morning. Bring a box or a plastic basket with you to take your plants home.

Species are listed on the catalogue in alphabetical order within category. **Shrubs at the back of the hall have now been grouped by size ie 1m in height and under; 2m in height and under and over 2m in height and trees.** Natural habitat is given as a guide to selection and planting. Species from SW forests prefer shade and some extra summer water. Many SW swamp species, particularly Boronias, make excellent pot plants. Heathland species are generally hardier and will grow in full sun. Most species, however, are quite adaptable and have been successfully grown by our members in Hills gardens. Many of our plants are not yet available in nurseries.

Whilst we try to make our catalogue as accurate as possible, some listed plants may not be available due to circumstances beyond our control. However we always have small numbers of additional, unlisted species.

Further information on plants will be available inside the hall. We also have seeds of native plants for sale and booklets on aspects of native gardening.

The plants are sorted on the tables alphabetically within category. The plan of tables is at the back of the catalogue. We have marked Local species with a yellow disc on the main label.

ALL PLANTS CONTAIN A COLOUR CODED BAMBOO SKEWER TO INDICATE THE PRICE. SOME HAVE A BAMBOO SKEWER WITH A PRICE ON IT. The code is given to the right. Coloured labels, plant stakes or ties do not indicate price. Select your plants and pay the Cashiers at the gate.

The plants are grown by our members for your gardens. We hope you enjoy our Sale.

A NOTE ABOUT CHANGES TO PLANT NAMES

Our knowledge of the flora of Western Australia is in a constant state of change at the present time. New species are continually being found and the relationships of known species are steadily being revised.

We endeavour each year to keep the names to the most current botanically correct name for the Plant Sale and to this effect we usually make a note in the Common Name or Special Features columns of the catalogue as to the previous name that you might have known the plant as to help make you aware of the change.

To aid you in finding where your favourite plants may be on the tables we have provided a cross-reference from old to new names within the catalogue. We hope this minimises confusion and helps you make the transition between names easier.

PRICE CODING (COLOUR OF SKEWER)

| | | | |
|-----------|--------|------------------------|--------|
| Red | \$2.00 | Blue | \$4.00 |
| Yellow | \$2.50 | Pale Green | \$4.50 |
| Orange | \$3.00 | Pink | \$5.00 |
| Turquoise | \$3.50 | Other Prices as Marked | |

**** SOME GREAT IDEAS FOR YOUR GARDEN ****

| <u>West Australian Wattles</u> | <u>Cockatoo Food</u> | <u>West Australian Grasses</u> |
|---|--|--|
| <p>Can be used in a wide variety of garden situations from rockeries, shrubberies to providing shade.</p> <p>Most are very drought tolerant while some like damp situations.</p> <p>Most prefer full sun but some from forest areas will grow in partial shade.</p> <p>There is a variety of sizes and shapes from short and clumpy to tall, slender and elegant.</p> <p>Wattles are great for establishing new gardens in poor soil.</p> <p>Support biodiversity in your garden by supplying vast quantities of food and habitat.</p> <p>Are legumes. This means they supply their own nitrogen and enrich the soil.</p> <p>Grow easily from seed.</p> <p>Give vibrant winter/spring colour.</p> <p>Exhibit a huge range of foliage colours and forms.</p> | <p>All three species of Black Cockatoo could be regular visitors to your garden if you grow a supply of their favourite food.</p> <p>Marri (<i>Corymbia calophylla</i>)</p> <p>Jarrah (<i>Eucalyptus marginata</i>)</p> <p>These are also a vitally important habitat tree for a vast number of species.</p> <p>All Hakeas – beautiful flowering plants similar to Grevilleas but generally with large woody fruits.</p> <p>e.g. <i>Hakea periolaris</i>; <i>Hakea undulata</i>; <i>Hakea orthorrhynca</i>; <i>Hakea trifurcata</i>; <i>Hakea lissocarpha</i></p> <p>All Banksias.</p> <p>e.g. <i>Banksia grandis</i>; <i>Banksia undata</i>; <i>Banksia sessilis</i>.</p> <p>WA Grevilleas.</p> <p>e.g. <i>Grevillea bipinnatifida</i>; <i>Grevillea endlicheriana</i>.</p> <p>(Note: Hybrids are often sterile and do not produce seed.)</p> | <p>Looking for something different? Why not try some grasses?</p> <p>These are not weedy:</p> <p>Most are very drought tolerant while some like damp situations (great around ponds and bog gardens).</p> <p>Some grow naturally in local forests and thrive in shaded areas.</p> <p>There is a variety of sizes and shapes from short and clumpy to tall, slender and elegant.</p> <p>There is a choice of cool or warm season growers.</p> |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|-------|------|-------------|-----------|--------|------|------------------|-----------------|
|-------|------|-------------|-----------|--------|------|------------------|-----------------|

Clump Plants (Monocots)

| | | | | | | | |
|-----------------|---------------|---|-------------|---------------|----------|--|---|
| Anigozanthos | manglesii | Mangles Kangaroo Paw | Spring | Red/Green | 0.8 | State Emblem. Do not water in summer | LOCAL, sand or gravel |
| Austrodanthonia | acerosa | See Rytidosperma acerosum | | | | | |
| Austrodanthonia | caespitose | See Rytidosperma caespitosum | | | | | |
| Austrostipa | elegantissima | Feather Speargrass | Oct-Dec | White/grey | 0.35-2 | Winter active perennial rhizomatous grass. Fluffy flower heads | Local, all soils |
| Austrostipa | variabilis | Speargrass | Aug-Feb | green, purple | 0.15-0.8 | Tufted perennial grass | LOCAL and widespread throughout South West WA |
| Carex | tereticaulis | | Sept-Oct | Brown | 0.7 | Tufted perennial sedge, black peaty sands | South West |
| Cymbopogon | ambiguus | Scentgrass | Summer | Pale green | 0.5-0.8 | Clumping plant, dry sites ,responds to summer water | Northern WA |
| Cymbopogon | obtectus | Native Lemon Grass | Summer | Pale green | -0.7 | Scented clumping grass, attractive silky heads | LOCAL, open forest, outcrops |
| Microlaena | stipoides | Weeping Grass | Late Spring | Green/Purple | .3-.75 | Winter active, perennial tufts, understorey, spreads | Local grass forest areas |
| Neurachne | alopeuroidea | Foxtail Mulga Grass | Aug-Nov | Black | 0.4 | Forms low tussocks, Kangaroo fodder lawn, ornamental | LOCAL, widespread |
| Orthrosanthus | laxus | Morning Iris | Sept-Oct | Blue | 0.5 | Hardy, showy flowers | LOCAL |
| Patersonia | occidentalis | Purple Flags | Summer | Purple | 0.5 | Hardy and easy to grow. Good for rockeries | LOCAL, most habitats |
| Rytidosperma | acerosum | Wallaby Grass (formerly Austrodanthonia acerosa) | Sept-Dec | Purple-green | 0.6 | Winter active, perennial tuft grass, some shade | LOCAL Gravel soil |
| Rytidosperma | caespitosum | Wallaby Grass (formerly Austrodanthonia caespitosa) | Spring | Purple-green | 0.5-0.9 | Tufted perennial, ornamental flower-heads | LOCAL everywhere |
| Xanthorrhoea | gracilis | Graceful Grasstree | Oct-Jan | White | 1.5 | Forms tufts to 0.6 m across, flower spikes to 1.5m | LOCAL, all habitats |

Everlastings

| | | | | | | | |
|-----------|---------------|--------------|----------|------|-----|---|------------------|
| Rhodanthe | chlorocephala | Everlastings | Spr-Summ | Pink | 0.5 | Annual. Will self-propagate. Formerly Helipterum roseum | Dry inland areas |
| Rhodanthe | manglesii | Everlastings | Spr-Summ | Pink | 0.4 | Annual. Will self-propagate | Dry inland areas |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|-------------|------------|--------------|-----------|---------------|------|---|------------------------------|
| Schoenia | cassiniana | Schoenia | Spring | Pink | 0.4 | Annual, multiflowered heads, responds to dead-heading | Wheatbelt and pastoral areas |
| Schoenia | filifolia | Schoenia | July-Nov | Yellow | 0.5 | Annual. Will self-propagate | Wheatbelt and goldfields |
| Xerochrysum | bracteatum | Everlastings | Spr-Summ | Yellow Bronze | 0.6 | Various colours. Will self-propagate. Annual. | Dry inland areas |
| Xerochrysum | macranthum | Everlastings | Spr-Summ | Creamy white | 0.6 | Annual. Will self-propagate | Dry inland areas |

Climbers

| | | | | | | | |
|--------------|-------------|--------------------|---------|------------|----------|--|---|
| Hardenbergia | comptoniana | Native Wisteria | Jun-Nov | Purple | 2-4 wide | Vigorous climber, prefers sand or gravel | LOCAL and SW forests |
| Kennedia | beckxiana | Cape Arid Kennedia | Spring | Orange | 3-5 wide | Vigorous climber, spectacular flowers | Ideal for scrambling over fences. Cape Arid, heathlands |
| Kennedia | coccinea | Coral Vine | Spring | Coral Pink | 1-2 wide | Pea flowers in dense heads | LOCAL & SW forests |

Ground Covers and Rockery Plants

| | | | | | | | |
|--------------|-----------------|--|-------------|-------------------|----------|--|--|
| Banksia | dallanneyi | Couch Honey-pot (formerly Dryandra lindleyana) | June-Sept | Greeny-brown | 0.3 | Trailing to semi-erect stems | LOCAL. Heathlands and forests |
| Chamelaucium | sp Wongan Hills | | Oct-Nov | Dark pink/magenta | 0.3 | Soft spreading ground cover. Will cover banks. | Well drained soils in full sun/semi shade. Wheatbelt. |
| Dampiera | altissima | Tall Dampiera | June-Oct | Blue | 0.5 | Mounding ground cover. Masses of blue flowers. | Suits most soils in full sun. Ideal for pot culture or raised beds. Northern sandplains. |
| Dampiera | coronata | Wedge-leaved Dampiera | Jul-Nov | Blue-purple | 0.5 | Spreading woody perennial | LOCAL woodlands. |
| Dampiera | linearis | Common Dampiera | Summer | Blue | 0.3 | Attractive suckering ground cover slowly spreading to 1m wide. | LOCAL. Suits most soils. Full sun to part shade. |
| Dampiera | lavandulacea | | Jul-Nov | Pink | 0.9 | Spreading shrub. | Most soils, full sun to part shade, damp tolerant. Suits edge of garden bog. SW WA. |
| Dampiera | trigona | Angle-stemmed Dampiera | Spring | Blue | 0.3 | Spreading, delicate and pretty, ideal for baskets. | SW WA |
| Diaspasis | filifolia | Three-Leaved Diaspasis | Sep-Feb/May | White/pink/purple | 0.15-0.5 | Erect to sprawling slender perennial herb or shrub. | Sandy or clayey soils, bogs & seasonally wet areas. South coast WA. |
| Dryandra | lindleyana | See Banksia dallanneyii | | | | | |
| Enchylaena | tomentosa | Barrier Saltbush | May-Sept | Orange berries | 0.6 | Hardy groundcover, grey foliage, orange berries | Inland extensive |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|------------|--------------------------|---------------------------------|------------|-----------------|-----------|--|--|
| Eremophila | glabra (prostrate) | | Aut-Summer | Various colours | | Is one of the most variable and complex species in the genus. It is very variable in its leaves & habit. Colours range from green, yellow, orange or an assortment of reds. | Variety of situations |
| Eremophila | maculata (prostrate) | | Aut-Summer | Various colours | 0.5 | Compact spreading shrub which grows to 0.5m high & quite wide. Comes in many colours from pale pink through to deep pink, red, yellow and purple. Flowering time from late autumn to early summer Hardy ornamental, bird attracting. | Variety of situations. |
| Eremophila | subteretifolia | | Nov/Dec | orange | 0.15 | Spreads to 2.5m, Most soils, salt tolerant | Esperance/ Mallee |
| Gastrobium | latifolium | | Aug-Nov | Red/Yellow | 0.4 | Prostrate trailing groundcover. | Suits most soils in semi shade. Good groundcover for under trees and shrubs. Prefers extra moisture. |
| Gastrobium | praemorsum | Cut-leaf Gastrobium | Spring | Red | 0.2 | Reddish foliage, hardy, attracts birds | Suits most soils in full sun/part shade. Ideal for slopes and cascading over retaining walls. Prefers extra moisture. Jarrah Forest. |
| Goodenia | caerulea | Blue Elegant Goodenia | Spr-Summ | Blue | 0.2 | Spreads by rhizomes, open sites heavy soils | LOCAL, Suits most soils in full sun. |
| Goodenia | leptoclada | Thin-Stemmed Goodenia | Nov-Jan | Bright Blue | 0.20-0.50 | Prostrate to ascending perennial. | Well drained soils in full sun/semi shade. Suitable for pot culture and raised beds. |
| Goodenia | pulchella | | Aug-Apr | Yellow | 0.35 | Trailing perennial. | Full sun or part shade. Requires damp conditions. Excellent for bog garden or pot culture. |
| Goodenia | pusilla | Delicate Goodenia | Summer | Yellow | 0.1 | Grows well in damp sunny spots | LOCAL, SW along creeks |
| Grevillea | crithmifolia | | Jul-Sept | White | 0.4 | Dense branching shrub, covers 3-4 m | Coastal near Perth |
| Hemiandra | pungens | Snake Bush | Summer | Mauve | 0.05-1 | Prostrate to ascending shrub 0.05-1m with prickly leaves. | From Geraldton to Bremer Bay |
| Hemiandra | pungens white flowers | Snake Bush | Summer | White | 0.1 | Prostrate shrub, with leaves stiffly hairy triangular, spiky, curving over. | LOCAL, open gravelly woodlands. |
| Hibbertia | grossulariifolia | Gooseberry-Leaved Guinea Flower | Aug-Dec | Yellow | 0.2 | Shade and extra water in summer. Good basket plant. Formerly H. crenata | Karri forest |
| Hibbertia | perfoliata | | Spring | Yellow | 0.2 | Colourful prostrate groundcover. Unusual foliage. | Suits most soils in part shade. For sheltered moist areas, bog garden or pot culture. |
| Hibbertia | spicata subsp leptotheca | | July-Oct | Yellow | 0.2-0.5 | Low spreading shrub. | Prefers limestone soils in full sun. Hardy. Perth Coastal |
| Kennedia | prostrata | Running Postman | Spring | Red | 0.1 | Hardy local groundcover, red pea flowers | LOCAL |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|-------------|--------------|------------------------|--------------------|-------------------|---------|--|---|
| Pelargonium | australe | Wild Geranium | Feb-May or Sep-Dec | Pink/purple/white | 0.1-0.5 | Decumbent or ascending perennial herb. | Hardy in a range of soils and prefers full sun or light shade. Often found in pockets of deeper soil on the upper slopes of large granite outcrops, |
| Pelargonium | havlasae | | Sept-Oct | White-pink | 0.3 | Slowly spreading tuberous, perennial herb. Most soils. Good basket plant | Full sun/part shade. SW and wheatbelt |
| Rhagodia | spinescens | Nodding Saltbush | | Red berries | 0.1 | Widely branched, open spiny shrub. Formerly Rhagodia nutans | N, interior and coastal |
| Rinzia | communis | | July-Sept | Pink | 0.3 | Rounded dwarf shrub with delightful waxy flowers. | Suits most well drained soils in full sun/part shade. Good for pot culture, rockeries or small gardens. |
| Stylidium | adnatum | Beaked Trigger Plant | Sept-Nov | Pink | 0.3 | Excellent in hanging baskets | Karri forest |
| Stylidium | amoenum | Lovely Trigger Plant | Oct-Dec | White-Lilac | 0.3 | Forms small dense clumps. | LOCAL, all soils |
| Stylidium | caespitosum | Fly-away Trigger Plant | Nov-Jan | White/Pink | 0.4 | Sand or clay, Winter wet areas | Lower SW |
| Stylidium | dichotomum | Pins and Needles | Summer | Yellow or pink | 0.2 | Low spreading Stylidium, lovely pot plant | LOCAL, granite rocks |
| Stylidium | lepidum | Redcaps | Oct-Nov | Pink/orange | 0.05 | Ornamental spreading rosetted perennial forming densely packed colonies | Prefers well drained soils in full/part sun. Suitable for raised beds or pot culture. South Jarrah Forest |
| Stylidium | spathulatum | Creamy Trigger Plant | Oct-Nov | Cream/White | 0.1-0.4 | Rosetted perennial trigger plant. | Sandy loamy soils. Suitable for protected raised garden beds and containers. SW WA |
| Tecticornia | assorted sp. | Samphire | | | 0.4 | Unusual novelty succulent shrub with seasonal foliage colour variation. | Suitable for pot culture or growing in saline clay soils. Wheatbelt. |
| Thryptomene | baeckeacea | | May-Oct | Pink-Purple | 0.2-1.2 | Spreading to prostrate shrub. | Sand, coastal sandstone or limestone, sand dunes, lateritic breakaways. |

Shrubs

Low Shrubs 1m in height and under

| | | | | | | | |
|---------|--------------|------------------------|----------|-----------|-------|--|--|
| Acacia | alata | Winged Wattle | June-Oct | Yellow | 1.0 | Fast growing local species, shade | LOCAL, forest gullies |
| Acacia | deficiens | | Sep-Oct | Yellow | 0.1-1 | Prostrate, spreading or domed, spinescent shrub | Clay loam, clay, sandy & loamy soils. Low-lying areas. |
| Acacia | lateriticola | | Winter | Yellow | 1.0 | Fast growing local species prefers gravel soils | LOCAL and SW, gravel soils |
| Acacia | pulchella | Prickly Moses | Jun-Oct | Yellow | 1.0 | Repels dieback | LOCAL forests |
| Aotus | procumbens | | Aug-Sep | Red/Brown | 0.3 | Colourful spreading shrub. | Prefers well drained soils in full sun/part shade. Tolerates winter wet soils. Hardy. Perth metro. |
| Baeckea | grandiflora | Large flowered Baeckea | Aug-Dec | White | 0.8 | Colourful erect shrub. Feature plant suitable for pot culture. | Prefers well drained soils in full sun. Northern Jarrah Forest |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|--------------|-------------------------|-------------------------|-------------|---------------|-------|---|--|
| Baeckea | sp. | | Aug-Jan | White/Pink | 1 | Delightful small shrub with masses of white/pink flowers. | Prefers well drained soils in full sun. Suitable for containers or garden beds. Hardy. Avon wheatbelt. |
| Calothamnus | quadrifidus (yellow) | One Sided Bottlebrush | Sept-Nov | Yellow | 1.0 | Yellow flowered form | Ravensthorpe area |
| Calytrix | angulata | Yellow Starflower | Sep-Dec | Yellow | 0.2-1 | Attractive flowering compact shrub | Well drained soil in full sun/part shade. Ideal for pot culture. Tip prune regularly. Widespread sandplains N and S of Perth |
| Calytrix | strigosa | Arrowsmith Starflower | Aug-Dec | Purple pink | 1 | Spectacular mounding shrub. | Well drained soils in warm sunny position. Accent plant for open gardens. Northern sandplain. |
| Chorizema | cordatum | Flame Pea | Wint/Spr | Red/Orange | 0.6 | Compact hardy shrub | LOCAL |
| Chorizema | dicksonii | Yellow-eyed Flame Pea | Spring | Red/ Orange | 0.6 | Well branched shrub. Clays/ laterites. Part to full sun | LOCAL Understorey or open position |
| Chorizema | ilicifolium | Holly Flame Pea | Aug-Nov | Red/Orange | 1.0 | Attractive foliage; brilliant flowering shrub. Hardy | LOCAL, forests |
| Cooperookia | georgei | Mauve Cooperookia | Jul-Nov | Pale Blue | 1 | Slender shrub. | Well drained soil in full/part sun. Esperance plains. |
| Cyathostemon | sp. | | Oct-Dec | White | 1 | Hardy small shrub. Masses of white flowers. | Prefers well drained soils in full/part sun. Suitable for raised beds or pot culture. Avon wheatbelt. |
| Diplopeltis | heugelii ssp subintegra | Pepperflower | Apr-Nov | Pink/Purple | 1 | Suckering perennial shrub. | Well drained soils in full sun. Ideal for cottage gardens. Limestone tolerant. Tip prune to keep compact. |
| Eremophila | glabra | Tar Bush | Spring | Various | 0.5 | Is one of the most variable and complex species in the genus. It is very variable in its leaves and habit. Colours range from green, yellow, orange or an assortment of reds. Flowering from late autumn to mid summer. | Variety of situations. |
| Eremophila | subfloccosa | Dense-felted Eremophila | | Green | 1 | Small compact shrub, soft silver hairy leaves. | NE Wheatbelt. Full sun, drought tolerant. Sandy/laterite/loam |
| Frankenia | confusa | | Sep-Oct | Pink & white | 0.75 | Colourful low shrub. | Well drained soils in full sun. Suits raised garden beds. Salt tolerant. Hardy. |
| Frankenia | sp. white | | Aug-Oct | White | 0.3 | Delightful compact small shrub. | Well drained soils in full sun. Suits pot culture and garden edges. Salt tolerant. Hardy. |
| Gompholobium | aristatum | | Winter/ Spr | Yellow | 0.8 | Small erect shrub. Most soils, Tolerates winter wet | LOCAL, SW WA |
| Gompholobium | latifolium | Red-Yellow Pea | Aug-Nov | Red-Yellow | 0.4 | Very large pea flowers | LOCAL |
| Grevillea | bipinnatifida | Fuschia Grevillea | Sept-Jun | Red | 0.7 | Excellent bird attracter. Long flowering | LOCAL, granite |
| Hakea | lissocarpha | Honey Bush | Spring | White to Pink | 1.0 | Prickly shrub, masses of flowers | LOCAL |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|---------------|---------------|-----------------------------|-------------|---------------------|----------|---|---|
| Hakea | stenocarpa | Narrow-fruited Hakea | Spring | White | 0.7 | Compact local shrub | LOCAL |
| Hemigenia | sp Cascade Rd | | July-Dec | Mauve | 0.45 | Colourful small upright shrub. | Prefers well drained soils in full sun. Eastern Mallee |
| Hibbertia | racemosa | Stalked Guinea Flower | July-Dec | Yellow | 0.1-0.75 | Erect or ascending spreading shrub. | Grey, white or yellow sand. Coastal areas: dunes, plains & limestone. From Geraldton to Esperance |
| Hibbertia | serrata | | Spring | Yellow | 0.9 | Green & bushy with large flowers | LOCAL, damp forests |
| Hibbertia | stellaris | Orange stars | Spring | orange | 0.4 | Small shrub, showy flowers. Good pot plant. Winter-wet | Moist soils in part to full sun. Does best in hanging baskets or containers. From southern forests |
| Hovea | pungens | Devil's Pins | Winter | Purple | 1.0 | Prickly shrub, popular local garden plant | LOCAL, granite rocks |
| Hypocalymma | angustifolium | White Myrtle | Spring | White or pink | 1.0 | Hardy adaptable local shrub | LOCAL, granite soils |
| Hypocalymma | ericifolium | | Aug/Nov | Yellow/Cream | 0.25-1.0 | Erect shrub. | Grey/black sand. Seasonally wet flats. Coastal areas from Busselton to Albany. |
| Hypocalymma | tetrapterum | | Jun-Aug | White | 0.4 | Attractive rounded shrub. | Prefers well drained soils in full sun/semi shade. Light prune after flowering. Inland Southwest |
| Lechenaultia | biloba | Blue Lechenaultia | Spring | Blue | 0.2 | Hardy. Full sun or part shade | LOCAL, all soils |
| Lechenaultia | floribunda | Free Flowering Lechenaultia | Aug-Dec | Blue-white | 0.15-1 | Spreading bushy small shrub for sandy soils | Sandy areas north and east of Perth |
| Lechenaultia | laricina | Scarlet Lechenaultia | Spring | Red | 0.2 | Good rockery plant | Heathlands E of Perth |
| Maireana | Oppositifolia | | | Greeny/yellow | 0.3-1.0 | Compact shrub. | Clay loam, sandy clay, sand. Salt lakes, saline flats. |
| Melaleuca | parviceps | | Sept-Dec | Pink | 0.6 | Erect with cylindrical leaves. Flowers crowded in rounded heads at the ends of stems. | LOCAL shrub, red/brown clay-loam |
| Melaleuca | psammophila | | Sep-Dec | Pink/Purple | 1 | Colourful small shrub with masses of terminal pink/purple flowers. | Well drained sandy soils in full sun. Open garden beds. Hardy. Geraldton sandplain. |
| Melaleuca | trichophylla | | Spring | Mauve | 0.75 | Very attractive Sand/gravel soils | Wheatbelt and inland |
| Melaleuca | urceolaris | | Jun/Sep-Dec | Creamy white/yellow | 0.2-1 | Soft foliated shrub spreading to 1m or more by arching branches low to ground. | Midlands and Northern Wheatbelt. White/grey, yellow or brown/red sand (often gravelly), sandstone. Granite outcrops, undulating plains. |
| Melaleuca | violacea | | Spring | Mauve | 0.6 | Compact form, good rockery plant | Southern Heathlands |
| Scaevola | porocarya | Striate-fruit Scaevola | Spring | Blue | 1.0 | Upright spreading shrub. Sweet scent | Prefers well drained soils in full sun. Hardy. Geraldton sandplains |
| Scaevola | thesioides | Rats Tails | Aug-Mar | Blue | 0.5 | Open spreading shrub. | Well drained soils in full sun. Excellent for coastal areas, limestone and rockeries. Hardy. Perth coastal. |
| Sphaerolobium | medium | Globe Pea | Oct-Nov | Orange | 0.4 | Erect stems of showy flowers, tolerates open sites | LOCAL, forest |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|-------------|----------------------------|-----------------------------------|-----------|-----------------|----------|---|--|
| Thryptomeme | denticulata | | Autumn | Pink | 0.5 | Hardy with small flowers | Sandy heathland |
| Thryptomene | saxicola | Rock Thryptomene | Feb-Nov | Pink | 1 | Attractive spreading shrub. Hardy with dainty flowers. Excellent cut flwrs | Well drained soil in full sun/part shade. Winter colour. Hardy. Granite rocks |
| Thryptomeme | stapfii | Thryptomene Sp. Morseby Range | May-Oct | Pink | 1 | Pretty mounding shrub. | Suits most well drained soils in full sun/part shade. Hardy. Sandy heathland |
| Verticordia | bifimbriata | | Nov-May | Pink | 0.6 | Attractive shrub with double fringed pink flowers | Well drained soils in full sun. Suits pot culture, rockeries and open gardens. Semi drought tolerant. Prune for flowers. |
| Verticordia | blepharophylla | | Nov-June | Mauve/Pink | 0.8 | Erect small shrub. | Well drained soil in full sun. Tip prune/prune lightly after flowering. Hardy and adaptable. Southern sandplains. |
| Verticordia | chrysantha | Yellow Featherflower | Spring | Golden yellow | 0.6 | Very beautiful Verticordia | Well drained soil in full sun. Suits open garden/rockeries. Prune lightly after flowering. |
| Verticordia | densiflora var. densiflora | Compacted Featherflower | Sep-Feb | Pink-purple | 1 | Erect shrub with dense honey scented flowers. | Well drained soils in full to part sun. Tip prune/prune lightly after flowering. Perth hills |
| Verticordia | fastigiata | Mouse Featherflower | Jan-July | Red | 0.4 | Unusual compact bonsai-like shrub. Curious shiny red flowers. | Suits small sunny gardens, rockeries of containers. |
| Verticordia | halophila | Salt Loving Feather Flower | Sept-Dec | Pink/Red | 0.3-0.6 | Bushy shrub, hardy, and salt tolerant | Suits most soils. Full sun to part shade. Hardy and salt tolerant. |
| Verticordia | lehmannii | | Dec-Jan | Pink | 1 | Slender shrub with unusual delicate pink flowers. | Prefers well drained soils in full or part sun. Tip prune regularly after flowering. Tolerant of winter-wet. |
| Verticordia | longistylis | Blue Spruce Verticordia | Jan-Apr | Yellowish | 0.7 | Spreading shrub with attractive blue/grey foliage. | Well drained soils. Part/full sun. Hardy. Esperance Plains. |
| Verticordia | mitchelliana | Rapier Featherflower | Aug-Dec | Red | 1 | Compact spreading shrub. Striking pendulous red flowers. | Well drained soil in full sun/part shade. Tip prune regularly. Wheatbelt |
| Verticordia | paludosa | | Dec-Mar | Pink/Purple | 0.3-0.45 | Perfumed flowers, open shrub, suitable for cut flowers, summer water and mulch, prune regularly | Needs summer water. Mulch to retain moisture. Winter-wet. Moore River |
| Verticordia | plumosa | Plumed Featherflower | Spring | Mauve | 0.7 | Beautiful local shrub, excellent cut flower | LOCAL, granite, heath |
| Verticordia | plumosa var. grandiflora | | Sept-Dec | White/Pink | 0.6 | Erect slender shrub, large scented flowers. | Well drained soil but needs summer water. Full sun to semi-shade. Regular pruning encourages new basal shoots. From Albany to east of Esperance. |
| Verticordia | plumosa var. plumosa | Plumed Featherflower (Hills form) | Aug-Dec | Pink | 1 | Erect shrub with masses of scented pink flowers. | Well drained soils but needs summer water. Full sun/part shade. Prune regularly. |
| Verticordia | staminosa var. erecta | | July-Oct | Greenish yellow | 0.3-1 | Compact upright pine like shrub. | Well drained soil in part/full sun. Summer watering prevents dormancy. |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|---|-----------------|---|------------|--------------|-----------|---|---|
| Medium Shrubs (2 metres in height and under) | | | | | | | |
| Acacia | aphylla | Rock Wattle | Winter | Yellow | 0.9-2.0 | Leafless prickly shrub. Rare in wild | LOCAL, heavy soils |
| Acacia | dentifera | Toothed Wattle | Spring | Yellow | 1.2 | Fast growing, attractive narrow leaves Can prune | LOCAL, granite/laterite |
| Acacia | extensa | Wiry Wattle | July-Sept | Yellow | 2.0 | Open erect shrub Fast growing in thickets Pioneer plant | LOCAL and SW |
| Acacia | hemiteles | | May-Oct | Yellow | 0.5-2 | Small to medium dense spreading shrub. | Most soils. WA Wheatbelt |
| Acacia | leptospermoides | | Jun-Sept | Yellow | 0.1 - 2.0 | Fleshy-leaved shrub | Various soils. |
| Acacia | restiacea | | Aug-Nov | Yellow | 0.5-1.5 | Rushlike leafless shrub, erect or spreading | WA widespread |
| Acacia | urophylla | Net Leaved Wattle | Autumn | Pale Yellow | 2.0 | Needs shade and some summer water | Forests, local and SW |
| Astartea | scoparia | | Wint/Sum | White-pink | 1.8 | Creeklines or extra water. Mass plant. | LOCAL, creeklines or swamps. |
| Banksia | caleyi | Caleys Banksia | Oct-Dec | Reddish | 2 | Grows in shrubbery, hanging flower-cones. Most soils | South east coast, mallee WA |
| Banksia | undata | Urchin Dryandra (formerly Dryandra praemorsa) | Spring | Yellow | 1.3 | Woolly branches leaves and flowers | Variety of soils |
| Beaufortia | orbifolia | Ravensthorpe Bottlebrush | Aug-Dec | red/green | 2.0 | Attractive erect or spreading shrub, with unique red/green bottlebrush flowers. | Suits most soils in full sun. Suits open garden beds. Tip prune to shape. Ravensthorpe. |
| Bossiaea | spinescens | | May-Oct | Yellow/Brown | 1.5 | Dense upright bush, prickly. Full sun. Varied soils | LOCAL to east and north |
| Brachysema | celsianum | See Gastrolobium celsianum | | | | | |
| Callitris | pyramidalis | Swamp Cypress | July-Feb | | 1.5 | Attractive shrubby conifer with dense foliage. Ornamental cones which can remain all year. | Suits most soils. Ideal for Christmas tree in a pot. Hardy. Perth Metro |
| Calothamnus | graniticus | One Sided Bottlebrush | Aug-Oct | Red | 1.5 | Pine like foliage. Bird attracting . Varied soils | SW |
| Chamelaucium | axillare | Esperance Waxflower | Sep-Dec | White | 1.2 | Erect open shrub. Waxy white flowers aging to red. | Prefers well drained soils in full sun. Suits pot culture. SW WA coast. |
| Diplopeltis | petiolaris | | Spring | Pink | 0.3-2 | Erect or spreading suckering shrub. | Sandy soils, limestone outcrops. Murchison and Geraldton sandplains. |
| Eremophila | complanata | | Spr-summer | Pink | 2 | Erect wispy shrub, flowers well, hardy but responds to some summer water | Avon/Wheatbelt |
| Eremophila | maculata | Spotted Emu Bush | All Year | Various | 1.5 | Compact spreading shrub which grows from 0.5-3m and almost as wide. Comes in many colours from pale pink through to deep pink, red, yellow and purple. Flowering time from late autumn to early summer Hardy ornamental, bird attracting. | Variety of situations |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|----------------|-------------------------|---------------------------|-----------|----------------------|---------|--|---|
| Eremophila | weldii | | Jun-Jan | Violet | 0.1-1.5 | Hardy and pretty small shrub | Goldfields |
| Gastrolobium | celsianum | Syn. Brachysema celsianum | Spring | Red | 1.5 | Spreading shrub. Pea flowers | SW inland |
| Grevillea | endlicheriana | Spindly Grevillea | Spring | Pink | 1.5 | Extended flowering period | LOCAL, granite soils |
| Grevillea | flexuosa | Tangled Grevillea | July-Oct | Cream | 2 | Irregular, few branched shrub. | Red/brown sand with laterite and gravel, sand over granite |
| Guichenotia | ledifolia | | July-Oct | Blue/Purple | .4-1.5 | Spreading shrub | Coastal limestone, sandplains, granite outcrops |
| Hakea | amplexicaulis | Prickly Hakea | Jul-Oct | White & Pink | 1.5 | Winter flowers, local plant | LOCAL. Grows in clay, loam and gravelly soils. SW WA. |
| Hakea | bucculenta | Red Pokers | August | Red | 2.0 | Very hardy shrub with long flower spikes | Dry inland, red sand |
| Hakea | erinaceae | Hedgehog Hakea | May-Sept | Cream/brown | 1.5 | Dense shrub | LOCAL, granite |
| Hakea | petiolaris | Sea Urchin Hakea | June | Red | 2.0 | Ornamental | LOCAL, Granite rocks |
| Hakea | undulata | Wavy-leaved Hakea | Spring | White | 1.5 | Hardy. Reddish-coloured new foliage. | LOCAL |
| Hysterobaeckea | ochropetala | | July-Nov | Bright White | 1.2 | Delightful erect shrub. | For most well drained soils in full sun. Wheatbelt |
| Indigofera | australis | Southern Indigo | July-Sept | Purple | 1.5 | Fast growing hardy shrub with sprays of purple flowers. Benefits from early pruning | Tolerates wet conditions |
| Labichea | lanceolata | Tall labichea | Aug-Oct | Yellow | 1-2 | Beautiful green shrub, prickly, hardy | LOCAL |
| Melaleuca | cardiophylla | Tangling Melaleuca | Aug-Dec | White | 1.5 | Rounded spreading shrub with tangled branches | Well drained soils in full sun. Good for coastal limestone. Prune to shape. Hardy. Perth coastal |
| Melaleuca | densa | | Aug-Sept | Cream to pale yellow | 2 | Dense bushy shrub | From August to Albany. |
| Melaleuca | glaberrima | | Jul-Dec | Pink/Purple | .3-1.5 | Open dry sites, most soils | Prefers well drained soils in full sun/part shade. Goldfields region and south coast |
| Melaleuca | lateritia | Robin Red-breast | Summer | red | 1.5 | Damper areas or run-off, most soils | Local and SW |
| Melaleuca | lateritia x teretifolia | | Oct-Feb | Pink | 2 | Naturally occurring hybrid. Erect compact shrub with long clusters of pink flowers on previous seasons growth. | Tolerates moist soils in full sun/part shade. |
| Melaleuca | megacephala | | Aug-Oct | Yellow | 2.0 | Nice habit and attractive flowers. Prefers well drained soil | Southern heathlands |
| Melaleuca | seriata | | Oct-Dec | Deep Pink | 1.5 | Small spreading shrub. Hardy | Well drained sandy soils in full sun. Will tolerate some alkalinity. Lightly prune after flowering. Perth metro |
| Melaleuca | steadmannii | | Sep-Dec | Deep cerise | 1.5 | Colourful small shrub with masses of deep cerise flowers. | Prefers well drained soils in full sun. Suits open gardens. Drought tolerant. SW Province. |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|-------------|-------------|------------------------|-----------|--------------|---------|---|---|
| Mirbelia | dilatata | Holly Leaf Mirbelia | Spring | Purple | 2.0 | Very prickly shrub | Forest south of Bickley |
| Rhagodia | baccata | Berry Saltbush | Oct-May | Yellow/Green | 0.3-2 | Grey foliage, dense tangled shrub. Most soils. Prune | Common WA coastal. |
| Scaevola | globulifera | | Aug-Dec | Blue, white | 0.2-1.2 | Spreading to upright shrub | Coastal areas, limestone. Hardy |
| Scholtzia | laxiflora | | Aug-Oct | White | 0.3-2 | Upright graceful shrub with delicate white flowers. | Prefers well drained soils mainly in full sun. Suitable as a feature plant, for cut flowers and winter wet areas. Geraldton sandplains. |
| Scholtzia | parviflora | | Aug-Oct | Pink | 1.5 | Colourful spreading shrub with stunning pink flowers. | Prefers well drained soils in full sun/part shade. Feature shrub for open garden beds. Will tolerate damp soils. Hardy. Geraldton sandplains. |
| Templetonia | retusa | Cocky's Tongues | Spring | Red | 1-2 | Attractive flowering shrub | |
| Thomasia | macrocarpa | Large-Fruited Thomasia | Sep-Dec | Mauve | 2.0 | Soft greyish foliage, large flowers | LOCAL |

Large Shrubs over 2 metres & Trees

| | | | | | | | |
|-------------|---------------|---------------------|----------|------------------|---------|--|---|
| Acacia | celastrifolia | Glowing Wattle | Winter | Yellow | 2.5 | Bronze tipped leaves | LOCAL, inland |
| Acacia | craspedocarpa | Hop Mulga | Aug-Dec | Yellow | 2-4 | Attractive blue-grey foliage, ornamental fruit | Pastoral areas WA |
| Acacia | cupularis | | July-Dec | Yellow | 1-2.5 | Open to sub-dense shrub. | Grows in a variety of soils. South West WA |
| Acacia | microbotrya | Manna Wattle | Spring | Yellow | 3-4 | Dense foliage, drought resistant | LOCAL, widespread inland |
| Acacia | redolens | | Aug-Oct | Yellow | 0.5-3 | Spreading shrub, from margins of salt lakes | SE Wheatbelt. |
| Acacia | splendens | | May | Yellow | to 8m | Shrub or tree, bark dark grey. Responds well to light pruning. | White sand over clay, pale brown loam, cracked brown soil, gravel, laterite, ironstone. |
| Atriplex | nummularia | Old Man Saltbush | | | 1.0-3.0 | Erect, bushy shrub. | Kalgoorlie goldfields |
| Callistemon | phoeniceus | Fiery Bottlebrush | Spring | Red | 2-3 | Grey foliage, dark flowers | LOCAL along watercourses |
| Dodonaea | hackettiana | Hackett's Hopbush | Jul-Oct | Yellow-green/red | 1-5 | Erect shrub or tree. | Outcropping limestone, Swan coastal plain. |
| Eremophila | youngii | | winter | pink | 1-5.4 | Upright small/ medium desert shrub. Dry sites, full sun | Northern/ inland WA |
| Eucalyptus | crucis | Silver Mallee | Sep-Mar | cream | 6 | Mallee/ small tree, round silver waxy leaves. Hardy. Full sun | Inland Granite outcrops |
| Eucalyptus | erythronema | Red-flowered Mallee | Oct-Feb | Red/Cream | 2-6 | Mallee or tree with smooth bark, very powdery. | Stony or gravelly soils often over literate |

| PLANT | NAME | Common Name | Flowering | Colour | Ht m | Special features | Natural Habitat |
|--------------|----------------|-----------------------|-----------------|--------------------|---------|--|---|
| Eucalyptus | kruseana | Bookleaf Mallee | Jun/Sep | Yellow | 2-3.5 | Bark smooth | Sandy loam, granite outcrops & hills. Goldfields. |
| Eucalyptus | macrandra | Long Flowered Marlock | Summer | Yellow | 4-5 | Mallee or small tree to 5 m | East of Albany |
| Eucalyptus | obtusiflora | Dongara Mallee | Summer | Cream | 1-5 | Lovely mallee for poor soils | Mallee heathlands |
| Eucalyptus | orbifolia | Round-leaved Mallee | Jul/Nov | Yellow | 2.5-8 | Mallee with minni-ritchi bark. | Goldfields |
| Eucalyptus | woodwardii | Lemon Flowered Gum | July-Nov | Yellow | 6-10 | Small tree with spectacular flowers | East of Kalgoorlie |
| Gastrolobium | ebracteolatum | | Oct to Dec | Yellow/red/purple | to 4m | Slender erect shrub. | LOCAL , loam or sandy loam, riverline areas, swampy woodlands. SW WA and Geraldton sandplains. |
| Grevillea | pinaster | Pine-like Grevillea | Aug-Sept | Red | 2.5 | Compact rounded shrub with lovely fine foliage | Suits most soils in full sun. Bird attracting. Heathland N of Perth |
| Hakea | francisiana | Emu Tree | Aug-Nov | Pink | 2-4 | Erect Shrub, spectacular in flower | Northern Wheatbelt |
| Hakea | laurina | Pin Cushion Hakea | Apr-May | Burgundy/Cream | 3-4 | Lovely small weeping tree | Southern Heathlands |
| Hakea | multilineata | Grass-leaved Hakea | Spring | Pink | 3.0 | Dense flower spikes | Dry inland areas |
| Melaleuca | filifolia | Wiry Honey Myrtle | Aug/Oct | Pink/Purple | 0.6-2.5 | Small spreading or bushy shrub with needle like leaves. | Kalbarri-Mullewa district. |
| Melaleuca | pentagona | | Spring | Pink/Purple | 0.1-3 | Spreading shrub, nice foliage and flowers. Most soils, dry | Wheatbelt to Esperance coast |
| Melaleuca | stereophloia | | July-Dec | Cream-yellow | To 4.5m | Erect, multi-stemmed shrub or tree, bark thin, rough, fibrous, grey. | Red-brown sand, clay or loam, laterite, granite, sandstone. Sandplains & ridges, floodplains, claypans, breakaways, along watercourses. |
| Melaleuca | uncinata | Broom bush | Feb-Mar/Jul-Dec | Cream/white/yellow | 0.5-5m | Shrub or tree. | Sandy or clayey soils, laterite, sandplains, winter wet depressions, saline flats. Scattered population in Wheatbelt, Goldfields, Esperance plains. |
| Rhagodia | candolleana | Seaberry Saltbush | Spring | White/Green | to 5m | Weak, spreading or erect shrub. Has male and female flowers. Fruit is a berry crimson on maturity. | Sand to clay. Coastal situations. |
| Santalum | spicatum | Sandalwood | Mar-June | Red | 2-5 | Hemiparasitic on roots | Widespread |
| Senna | artemisisoides | Crinkled Cassia | Apr/Nov | Yellow | .15-3 | Formerly Cassia. Widespread. | Grows in a variety of soils and habitats. |

Understorey Plants

Hills residents know that trying to grow plants under the shade of a big Marri tree can be a challenge. Their hungry roots and the lower level of sunlight doesn't suit all plants. Here is a list of plants (some of which are in our plant sale) that should not mind growing in the shade or part-shade.

Clumping Plants:

Microlaena stipoides
Neurachne alopecuroidea
Orthrosanthus laxus
Sowerbaea laxiflora

Climbers:

Hardenbergia comptoniana
Kennedia coccinea

Ground Covers:

Kennedia prostrata
Labichea punctata
Scaevola caliptera

Shrubs:

| | |
|------------------------------|---------------------------------|
| <i>Acacia alata</i> | <i>Gompholobium knightianum</i> |
| <i>Acacia pulchella</i> | <i>Hakea amplexicaulis</i> |
| <i>Bossiaea pulchella</i> | <i>Hakea cyclocarpa</i> |
| <i>Chorizema cordatum</i> | <i>Hakea lissocarpa</i> |
| <i>Chorizema dicksonii</i> | <i>Hakea trifurcata</i> |
| <i>Chorizema ilicifolium</i> | <i>Hovea pungens</i> |
| <i>Darwinia citriodora</i> | <i>Trymalium ledifolium</i> |

Trees:

Banksia grandis




POT RECYCLING

What do you do with the pots from the plants you've bought today after you've got them all into the ground?

Please bring them back! We're especially looking for the long black pots known as tubes, which are best for native plants. We'd love to recycle them back to the growers so they can grow more lovely plants for next year's sale.

Just place them in the yellow wire trolley on the verandah of the Octagonal Hall. The front gate is open anytime.

EHWFS PLANT SALE 2017



Front Garden:

- Climbers
- Ground Covers
- Clump Plants (Monocots)

Behind Hall:

- Trees

Back Bush Area:

- Shrubs

Inside Hall:

- Seeds
- Books
- Information

Verandah:

- Refreshments

| PRICE CODING | | |
|--------------|--|--------|
| Red | | \$2.00 |
| Yellow | | \$2.50 |
| Orange | | \$3.00 |
| Turquoise | | \$3.50 |
| Blue | | \$4.00 |
| Pale Green | | \$4.50 |
| Pink | | \$5.00 |

Please do not stray into the grey areas